SUBJECT INDEX

A356 aluminum alloy, p. 2076
A356-20 vol.% SiC, p. 2076
Ablation, pp. 206, 230
Acoustics
  control of, p. 103
  emission, pp. 1240, 1254, 1455, 2016, 2289, 2307
  structural, p. 103
Acousto-ultrasonic signals, p. 1050
Activation energy, p. 1269
Adaptive material, p. 103
Adhesion
  fiber-matrix, pp. 310, 558, 936
  film, p. 1968
  interfacial, p. 770
Advanced shear-lag approach, p. 1269
Age-hardening, p. 1578
Aggregate model, p. 1767
Aging response, p. 1578
Aircraft crashworthiness, p. 486
Al-Si alloy, p. 2076
Aluminoborosilicate matrix, p. 2278
Aluminum
  alloys, pp. 1945, 2076
  matrix composites, p. 1062, 1578
  oxide, p. 1269
  tubes, p. 388
Analysis
  consolidation, pp. 1374, 2348
  contact, p. 350
  dimensional, p. 2674
  dynamic mechanical, p. 869
  elastic-plastic, p. 1287
  failure, p. 350
  finite element, pp. 152, 185, 1594
  Fourier, p. 51
  inelastic laminate, p. 1885
  in situ failure by SEM, p. 1240
  manufacturing, p. 1374
  membrane, p. 2511
  micromechanics, p. 558
  modal, p. 103
  processing, p. 1374
  scaling, p. 274
  single ply, pp. 900, 969
  stress, pp. 350, 405, 520, 1207
  thermal, p. 171
  thermomechanical, pp. 206, 230
  thermoviscoelastic, p. 883
  transient dynamic, p. 2134
  Weibull statistical, p. 2674
Anisotropic porous media, p. 1100
ARALL laminates, p. 1708
AS4/PEEK (APC-2), pp. 1594, 1617, 2378
ASTM D3039 standard test, p. 2674
AU4U/PEEK, p. 1617
Automotive leaf spring, p. 1240
Beam
  composite, p. 1752
  curved, p. 792
  double cantilever, pp. 432, 869
Bearing strength, p. 2542
Biaxial testing, pp. 2060, 2307, 2493
Bimodal strength distribution, p. 1984
Boundary constraint, p. 51
Boundary discontinuity, p. 51
Buckling, pp. 350, 1796, 1885, 1915, 2542
Burst strength, p. 1984
Carbon, p. 388
  carbon, pp. 206, 230
  epoxy, pp. 37, 1784
  fibers, pp. 132, 256, 558, 574, 869, 1254, 1427, 1725, 2278, 2330
  phenolic, pp. 206, 230
Carreau model, p. 1351
Ceramic
  cellular, p. 1664
  composites, pp. 1269, 1664
  fiber-reinforced, p. 916
  foams, p. 1664
  testing, p. 916
Chemical shrinkage, pp. 626, 2423
Circuit boards, p. 883
Compact tension, p. 1339
Compliant layer, p. 1287

(continued)

Subject Index *(continued)*
Composites, pp. 2, 152, 256, 405, 574, 683, 869, 916, 1031, 1050, 1151, 1181, 1207, 1351, 1487, 1578, 1594, 1617, 1725, 1796, 1945, 2060, 2402, 2423, 2522, 2706, 2727
Al_2O_3 fiber/Kerimid, p. 612
aluminum matrix, pp. 1062, 1578, 2060
beams, pp. 1752, 2172
Boron Nitride flake/Kerimid, p. 612
ceramic, pp. 1269, 1664
chopped fiber, p. 2632
compressive behavior, pp. 1151, 2706
conductive, p. 2727
cord-rubber, p. 152
curing, pp. 20, 2402, 2423
cylinders, pp. 1134, 2016, 2348
damaged, pp. 1796, 1844, 1860
damping, p. 2585
ductility, p. 2076
epoxy, pp. 274, 770, 828, 2118
fabrication, pp. 1287, 2402, 2423
fatigue, p. 2060
fiber, pp. 1009, 1708, 1752, 1915, 2655
glass/epoxy, pp. 770, 1968
graphite/epoxy, pp. 274, 462, 828, 1826, 2567
graphite fiber reinforced, pp. 1644, 2655
hardness, p. 1578
high temperature, pp. 206, 230
inelasticity of, p. 2
joints, p. 1826
laminated, pp. 2, 293, 350, 804, 1554, 1796, 2028, 2134, 2736
layers, p. 1752
LDPE, p. 121
leaf spring, p. 1240
materials, pp. 37, 78, 388, 546, 708, 1339, 1752, 2045, 2307, 2511, 2674
mechanical properties, pp. 1062, 1455, 1487
metal matrix, pp. 900, 969, 991, 1474, 2060, 2076
microstructure, p. 2076
plasticity, p. 1945
plates, pp. 520, 1796, 2348
processing, pp. 1487, 2330, 2402, 2423
random short fiber, p. 612
repair of, p. 1796
sandwich, pp. 500, 1664, 2247
self-reinforced, p. 1402
shape memory alloy, p. 103
shear strength, p. 558
shells, p. 2511
short fiber, pp. 1254, 1767
Si_3N_4 whisker/Kerimid, p. 612
SiO_2 particle/Kerimid, p. 612
stiffener crippling, p. 991
stress and strain, p. 1826
T300/Al 6061, p. 770
tapered, p. 1968
testing of, pp. 708, 883
thermoplastic, pp. 121, 293, 2262, 2289, 2348
thermoset, pp. 20, 90, 132, 626
thick, p. 1050
titanium matrix, p. 991
torsion of, p. 462
tubes, pp. 37, 388, 1741, 2016
tubing connection, p. 1443
unidirectional, pp. 462, 1151, 1173, 2172
vessel, p. 1984
vibration control, p. 2585
warpage, pp. 2402, 2423
woven (C3000/PMR15), pp. 185, 2522
Compression
axial, p. 1915
failure, p. 2706
interlaminar, p. 1930
modulus, pp. 310, 1151
strength, pp. 310, 1594, 1617, 1784, 1796, 1885, 1915
tests, p. 1885
Compressive loading, p. 185
Computational constitutive modeling, p. 1860
Conductive rubber, p. 2727
Consolidation analysis, pp. 1374, 2348
Contact angle, pp. 350, 1427
Control
acoustic, p. 103
fiber orientation, p. 1254
vibration, p. 103
Crack
front shapes, p. 1554
growth, p. 2655
growth resistance, p. 2262
jumping, p. 1554

matrix, pp. 804, 1009, 1844, 2134
propagation, intralaminar, p. 1339
Creep, pp. 900, 916, 969, 1269, 1578
Critical strain energy release rate, p. 1254
Critical volume fraction, p. 2727
Cross-ply plates, p. 51
Crushing
characteristics, p. 37
mechanisms, pp. 78, 1741
modes, pp. 78, 1741
Crystallinity, p. 2348
Cure
autoclave, pp. 90, 274, 2567
modeling, pp. 90, 274, 2402
monitoring, p. 274
shrinkage, pp. 171, 626
simulation, p. 626
Cylindrical structures, p. 1374
Damage
accumulation, p. 1455
fatigue, p. 2045
impact, pp. 500, 804, 1193, 2172, 2307
matrix cracking, p. 1009
mechanism, pp. 1455, 2289
Damping, p. 1752
analysis, p. 2585
anisotropic, p. 2585
constrained layer, p. 2585
optimization, p. 2585
Deformation, pp. 1207, 1885, 1930, 2076, 2330, 2511
Delamination, pp. 350, 804, 1240, 1554, 1844, 1968, 2028, 2045, 2134, 2172, 2247, 2542, 2655
Deply technique, p. 2247
Diffraction gratings, p. 751
Dilute theory, pp. 1009, 2480
Double cantilever beam (DCB), pp. 1554, 2655
Double torsion, p. 1339
Drop weight impact test, p. 2247
Dual heat flux sensor, pp. 274, 2567
Dynamic contact problem, p. 520
Dynamic modulus, p. 869
Edge-loading, p. 916
Efficiency coefficient, p. 121
Elastic constants, pp. 1050, 1767, 2196, 2226, 2522
Elastic deformation, p. 2330
Elastic-plastic analysis, p. 1287
Elastic work factor, p. 2028
Electrical resistivity, p. 2727
End effects, p. 1885
Energy
absorption, pp. 37, 78, 388, 486, 1455, 1741, 2632
activation, p. 1269
release rate, critical strain, pp. 432, 1254, 1844, 2028, 2172
Epoxy
carbon, pp. 37, 1784
composites, pp. 274, 770, 828, 2118
fiberglass, pp. 500, 1860
glass, pp. 37, 770, 1968
graphite, pp. 274, 310, 432, 486, 708, 792, 804, 828, 936, 1510, 1741, 1826, 1885, 2567, 2655
Kevlar, pp. 37, 1708, 1741
laminates, p. 1725
matrix, pp. 132, 462
resin, pp. 574, 1240
Equation of state, p. 1860
Eshelby's model, p. 612
Event rate moment, p. 2307
Explicit integration, p. 500
Explosive loading, pp. 1860, 2454
Extension-shear coupling, p. 1510
Fabric lamina, woven, pp. 2196, 2226, 2522
Failure
analysis, SEM, p. 1240
compression, p. 2706
criterion, p. 1510
flexural, p. 2289
joint, p. 1134
local, pp. 1885
mechanism, pp. 2674, 2706
prediction, p. 520
work, p. 2632
Fatigue, pp. 916, 2060
bending, p. 2045
composites, p. 2060
damage, p. 2045
flexural, p. 2045
strength, p. 256
Ferromagnetic nickel, p. 1254
Fiberglass, pp. 1455, 2045
Fiberglass/epoxy, pp. 500, 1860
Fiber probabilistic strength, p. 1984

(continued)

Subject Index *(continued)*
Fiber reinforced plastic joints, p. 751
Fiber reinforced polymer, p. 256
Fibers
  Al_2O_3/Kerimid composite, p. 612
  aramid, p. 1402
  aspect ratio, p. 2585
  bed, p. 1351
  breakage, p. 1240
  bridging, p. 1554
  bundle, pp. 1207, 2330
  carbon, pp. 132, 256, 574, 869, 1254, 1427, 1725, 2278, 2330
  carbon pitch-faced, p. 558
  coating, p. 1254
  compaction, p. 2330
  composites, pp. 1009, 1708, 1752, 1915
  composites, short, p. 1254
  content, p. 1402
  continuous, p. 37
  cross-section, change of, p. 1402
  end-gap size, p. 2585
  glass, pp. 121, 1181, 2118
  graphite, pp. 310, 1487, 1578, 1644
  impregnated, p. 1984
  Kevlar, pp. 121, 256
  kinked, p. 1784
  long compound, p. 1767
  matrix adhesion, pp. 558, 936
  matrix interface, pp. 558, 869, 2585
  matrix sliding, interfacial, p. 1269
  mechanical properties, p. 121
  microbuckling, pp. 1594, 1617
  orientation, pp. 132, 1254, 1767, 2278, 2585
  polyaramid, p. 256
  polyethylene, p. 121
  pull-out, p. 2262
  reinforced ceramic, p. 916
  reinforced polymer, p. 256
  reorientation, p. 2493
  rubber coated, p. 2632
  short, p. 1269
  strength, A- and B-basis, p. 1984
  surface treatment, pp. 558, 869
  unidirectional, p. 1100
  waviness, pp. 1151, 1594, 1617, 1784
Filament orientation, p. 1443
Filament winding, pp. 1134, 1374, 1402, 1427, 2348, 2454
Film adhesive, p. 1968
Finite element analysis, pp. 152, 185, 1594, 2480, 2585, 2736
Finite elements, pp. 388, 1287, 1752, 1844
Fourier analysis, p. 51
Four-point flexure, p. 1915
Fractography, pp. 828, 1062
Fracture
  interlaminar, pp. 432, 1554, 2655
  mechanics, pp. 350, 574, 2655, 2674
  prediction, p. 152
  resistance, p. 2655
  strength, p. 828
  time-dependent, p. 1339
  toughness, interlaminar, pp. 1254, 1402, 1554, 2028
  work of, p. 1181
Fragmentation test, p. 574
Free edge effects, p. 1930
Free edge stress, p. 1510
Gauss method, p. 20
Glass
  cloth, plain woven, p. 2493
  fiber reinforced epoxy resin, p. 1240
  fibers, pp. 1181, 2118, 2262
  flakes, p. 2262
  spheres, p. 2262
Glass reinforced plastics (GRP), p. 2454
Graphite/epoxy
  fiber composites, pp. 486, 792, 804, 828, 936, 1644, 1741, 1826, 2567, 2655
  interleaved, p. 432
  laminates, pp. 708, 1510, 1885
  seawater, exposure of, p. 2655
Graphite fibers, pp. 310, 1578
Heat conduction dynamics, p. 2567
Homogenization process, p. 2736
Hydrocodes, p. 1860
Hydrostatic pressure, pp. 462, 828
Hydrostatic stress, p. 1945
IITRI test fixture, p. 1915
Impact, pp. 500, 520, 804, 1193, 1725, 1796, 2118, 2134, 2172, 2262, 2307
Impact delamination, p. 2247
Impact resistance, p. 2247
Impact strength, p. 2632
Impact threshold velocity, p. 2134
Impregnation, pp. 683, 1427, 1984
Impulse loading, p. 1860

Included angle, p. 1741
Inelastic buckling, p. 1885
Inelastic laminate analysis, p. 1885
Infiltration, casting method, p. 1578
Infiltration, squeeze method, p. 1062
Infrared spectroscopy, p. 171
Injection molding, p. 1767
In-plane shear, p. 708
Interface, pp. 574, 936, 1474, 1510, 2262
  bonding, pp. 869, 2632
  fiber/matrix, pp. 558, 869
  fracture mechanics, p. 574
  layers, pp. 1088, 1474
Interfacial adhesion, p. 770
Interfacial bond strength, pp. 256, 869, 1594, 1617
Interfacial shear stress, pp. 574, 1269
Interfacial sliding, fiber/matrix, p. 1269
Interlaminar compression, p. 1930
Interlaminar fracture toughness, pp. 1254, 1402, 1554, 2028
Interlaminar shear strength, p. 1254
Interlaminar stress, pp. 520, 1915, 2585
Interphase mechanics, pp. 770, 936
Interply resin layers, pp. 1968
Intralaminar crack propagation, p. 1339
Iosipescu specimen, p. 708
Isotropy, p. 2107
Joints
  bolted, p. 751
  fiber-reinforced plastic, p. 751
  shear, p. 1134
Kevlar epoxy, pp. 37, 388, 1708, 1741, 2307
Kevlar fiber/matrix, p. 256
Laminated composites, pp. 2, 293, 350, 804, 1554, 1796, 2028, 2134
Laminated plates
  buckling, p. 1796
  strength, p. 1796
  theory, pp. 103, 626, 2016
Laminates
  angle ply, pp. 2454, 2480
  anisotropic, pp. 1088, 2107
  ARALL, p. 1708
  bearing strength, p. 2542
  bending of, p. 1885
  configuration, pp. 2196, 2226, 2522
  design, p. 2522
  fabric reinforced, p. 2736
  failure criterion, p. 1510
  fiber metal, p. 2542
  glass fiber, p. 2493
  graphite/epoxy, p. 1885
  hybrid, p. 2
  imperfections, p. 1885
  isotropic (FIL), p. 2107
  matrix cracks, p. 1009
  microbuckling, p. 1885
  minibuckling, p. 1885
  nonlinear response, p. 2493
  ply orientation, p. 2134
  quasi-homogeneous (QHAL), p. 2107
  stacking sequence, pp. 1617, 1725
  strength, pp. 1193, 2674
  testing, pp. 1644, 2493
  thick, pp. 626, 1930
  toughened, p. 1725
  tubes, p. 661
  warpage, p. 883
  woven fabric, pp. 2196, 2226, 2522
Lamination, symmetric/unsymmetric, p. 51
Lamination theory, p. 2172
Laser Raman spectroscopy, p. 574
Lateral restraint effect, p. 2542
Longitudinal modulus, p. 2632
Longitudinal splitting, p. 1402
Magnetic moment, p. 1254
Manufacturing analysis, p. 1374
Materials
  adaptive, p. 103
  composite, pp. 37, 78, 388, 546, 708, 1339, 1752, 2045, 2307, 2511, 2674
  woven, p. 1784
Matrix
  aluminum, p. 1578
  cracking, pp. 804, 1009, 1844, 2134, 2480
  epoxy, p. 132
  microcrack, p. 1240
  toughness, p. 1644
Measurements
  acoustic emission, p. 1240
  strain, p. 574
  transient, p. 20
Mechanical cycling, pp. 900, 969
Mechanical fastening, p. 751
Mica, p. 2262

(continued)

Subject Index *(continued)*
Microcracking, pp. 1240, 1644, 2480
Microdeformation, p. 185
Microfailure mechanism, p. 1240
Micromechanics, pp. 558, 574, 1930
Modal analysis, p. 103
Modal response, p. 661
Modal strain energy, p. 1752
Modal testing, p. 792
Mode I testing, p. 1554
Mode II testing, p. 2172
Mode-coupling, p. 661
Model
  aggregate, p. 1767
  Carreau, p. 1351
  computational constitutive, p. 1860
  cracked beam, p. 2172
  cure, pp. 90, 274, 2402
  2D WF, pp. 2196, 2226, 2522
  Eshelby's, p. 612
  impregnation, p. 683
  macromechanical, p. 2585
  micromechanical, p. 2585
  process, pp. 2402, 2423
  vanishing fiber diameter, pp. 900, 969
Modeling, pp. 152, 206, 230, 274, 1031, 1100, 1269, 1351, 2402, 2423, 2585
Modulus
  compressive, pp. 310, 1151
  flexural, p. 1181
  rupture, pp. 310, 1181
Moire interferometry, pp. 185, 708, 751, 883, 1930
Multiaxial law, p. 1269
Newtonian fluid, p. 1351
Non-classical shell theory, p. 546
Nondestructive evaluation, pp. 1050, 2307
Nonlinear constitutive behavior, pp. 1594, 1617
Non-Newtonian fluid, p. 1351
Numerical experiments, pp. 900, 969
Numerical simulations, p. 1860
Optical transmission, p. 1181
Optical transparency, p. 1181
Optimum processing conditions, p. 1062
Particulates, p. 1945
Percolation, p. 2727
Piola-Kirchoff stress, p. 2493
Plane strain, p. 1860
Plate waves, p. 2016
Poisson response, pp. 2, 2632
Polyaramid fiber, p. 256
Polybutylene terephthalate/polyethylene terephthalate blend, p. 2262
Polycarbonate, p. 256
Polyimides, p. 1487
Poly(methyl acrylate), p. 1181
Polyphenylene sulfide, p. 2289
Polypropylene, pp. 1455, 2262
Polysulfone, p. 256
Polyurethane, p. 500
Poroelasticity, pp. 206, 230
Porosity, p. 1427
Porous media, anisotropic, p. 1100
Porous media, isotropic, p. 1351
Power law, pp. 1269, 1351
Prediction
  crushing force, p. 78
  energy-absorption capability, p. 388
  failure, p. 520
  mechanical properties, p. 1062
Preforms, p. 1062
Preloads, p. 1752
Processing
  analysis, p. 1374
  composite, pp. 405, 1031, 1351, 1487
  fiber, p. 1207
  history, p. 626
  Quadrax, p. 1617
Quadrax process, p. 1617
Quality assurance test (AE), p. 1240
Rate effects, pp. 900, 969
Refractive index, p. 1181
Reinforced ductile thermoplastics, p. 2262
Reinforcement
  graphite fiber, pp. 1487, 1644
  permeability, p. 1100
  prepreg, p. 683
  through-the-thickness, p. 1784
  uniaxial, p. 2278
  unidirectional, p. 1100
Relaxation, pp. 900, 969
Reliability theory, p. 1984
Resin
  flow, p. 683
  glass fiber reinforced epoxy, p. 1240
  layers, interply, p. 1968
  modification of, p. 1240
  rich regions, p. 1617

thermosetting, p. 626
transfer moulding (RTM), p. 1100
Resistance welding, p. 1031
Response
aging, p. 1578
inelastic, p. 2
modal, p. 661
nonlinear, p. 2493
Poisson, p. 2
shear, p. 708
Rotorcraft, p. 486
Sand casting, p. 2076
Sandwich specimen, p. 1915
Scale effect, p. 1984
Seawater immersion, p. 2118
SEM failure analysis, p. 1240
Shape memory alloy, p. 103
Shear
behavior, p. 462
composite strength, p. 558
deformation, pp. 51, 1885
in-plane, p. 708
joints, p. 1134
lag approach, advanced, p. 1269
modulus, pp. 708, 828
response, p. 708
short beam, p. 869
strain, p. 1930
strength, p. 708
strength, interlaminar, pp. 1254, 1487
stress, interfacial, pp. 574, 1269
stress-strain properties, p. 828
yield, pp. 828, 2262
Side loads, p. 486
Silicon carbide whiskers, pp. 1269, 1578
Single fiber pull-out test, p. 256
Slowness surfaces, p. 1050
Spacial property variation, p. 770
Specific heat, pp. 20, 132
Sphere bed, p. 1351
Spiro compounds, p. 171
Spline approximation, p. 520
Squeeze casting, p. 2076
Squeeze infiltration method, p. 1062
Static load, p. 2307
Static testing, p. 792
Stiffener crippling, p. 991
Stiffness
reduction, pp. 1009, 1644, 2480
residual, p. 1844
silicon carbide composite, p. 1578
tensors, p. 1767
Strain
energy, modal, p. 1752
energy release rate, pp. 432, 1254, 1844, 2585
measurements, p. 574
plane, p. 1860
rate, p. 1455
relief inserts, p. 751
shear, p. 1930
thermal, p. 2423
ultimate, p. 1510
Strength
bearing, p. 2542
bending, p. 1173
bond, p. 256
burst, p. 1984
composite, p. 1796
compression, pp. 310, 1151, 1784, 1885, 1915
distribution, bimodal, p. 1984
fatigue, p. 256
fiber probabilistic, p. 1984
flexural, p. 1173
interfacial bond, pp. 1594, 1617
laminate, pp. 1193, 2674
residual, pp. 1193, 2307
shear, p. 708
shear, interlaminar, pp. 1254, 1487
shear, of composites, p. 558
tensile, pp. 1173, 1402
ultimate, p. 256
Stress
analysis, p. 1207
concentration, p. 2632
concentration reduction, p. 751
exponent, p. 1269
free edge, p. 1510
hydrostatic, p. 1945
initial, p. 1752
interfacial shear, p. 574, 1269
interlaminar, pp. 520, 1915, 2585
internal, p. 405
Piola-Kirchoff, p. 2493
process-induced, p. 626
residual, pp. 171, 293, 626, 883, 1287, 2348, 2402, 2423
residual thermal, p. 770

(continued)

Subject Index *(continued)*
Stress *(continued)*
thermal, pp. 2, 1474, 2632
three-dimensional, p. 1207
transfer, p. 574
transverse ply, p. 171
Stress-strain relation, pp. 293, 2493
Structural tailoring, p. 1968
Surface loop, p. 1784
System loss factor, p. 1752
Tape laying, p. 2378
Temperature
cycling, pp. 900, 969
effect on yarn strength, p. 1402
elevated, pp. 1062, 1578, 1617
high, p. 1269
room, p. 1062
uniaxial, p. 1968
Testing
biaxial, pp. 2060, 2307, 2493
compression, p. 1885
flexural, p. 2674
hardness, p. 1062
mechanical, p. 1455
method, p. 256
modal, p. 792
nondestructive, pp. 574, 1050
scale model, p. 2674
static, p. 792
tensile, pp. 1062, 2674
torsion, p. 828
Theory
beam, p. 546
dilute, pp. 1009, 2480
flow, p. 1100
laminated plate, pp. 103, 626
lamination, pp. 2172, 2454
non-classical shell, p. 546
shell, p. 546
Vlasov-type, p. 792
Weibull, p. 1173
Thermal analysis, p. 171
Thermal conductivity, pp. 20, 132, 612, 2278, 2736
Thermal diffusivity, p. 612
Thermal mismatch, p. 1287
Thermal properties, estimation of pp. 20, 132
Thermal stresses, pp. 2, 1474, 2423, 2632
Thermal structures, pp. 206, 230
Thermoplasticity, p. 1031
Thermoplastic prepreg, p. 683
Thermoset composites, pp. 20, 90, 132
Thermoviscoelasticity, p. 883
Thermoviscoplasticity, pp. 900, 969
Time-dependent fracture, p. 1339
Torsion
double, p. 1339
of composites, p. 462
tests, p. 828
Toughness, mode I and mode II, pp. 936, 1644
Transcrystallinity, p. 121
Transient dynamic analysis, p. 2134
Truncated cones, p. 486
Tubes
composite, pp. 37, 388
fiber-wound, p. 661
laminated, p. 661
Ultimate strength, p. 256
Ultrasonic vibration, p. 1254
Uniaxial temperature, p. 1968
Vanishing fiber diameter model, pp. 900, 969
Vibration control, pp. 103, 2585
Viscoelasticity, pp. 1339, 2423
Viscoelastic layers, p. 1752
Viscoplasticity, p. 1708
Viscosity, p. 1088
Vlasov-type theory, p. 792
Voids, pp. 1487, 2262
Wave propagation, pp. 661, 1860
Weibull theory, pp. 1173, 1984, 2674
Whiskers, pp. 1254, 1269, 1578
Work of fracture, p. 1181
Woven fabric laminate, pp. 2196, 2226
Woven material, p. 1784
Yarn
gap, pp. 2196, 2226, 2522
plain weave, pp. 2196, 2226, 2522
undulation, pp. 2196, 2226, 2522
Yield criterion, p. 1860

AUTHOR INDEX

Abdallah, M. G., p. 334
Adams, D. F., p. 558
Advani, S. G., p. 1351
Agarwal, R. K., p. 2736
Ait-Kadi, A., p. 121
Ajji, A., p. 121
Al-Bastaki, N. M., p. 2454
Al-Hassani, S. T. S., p. 2454
Allen, S., p. 1374
Al-Salehi, F. A. R., p. 2454
Altmisoglu, A., p. 2076
Amateau, M. F., pp. 1578, 1725, 2118
Amijima, S., p. 2493
Anders, W. S., p. 103
Anderson, C. E., Jr., p. 1860
Arnold, S. M., p. 1287
Arya, V. K., p. 1287
Åström, B. T., p. 1351
Avery, B. L., p. 2107
Baer, E., p. 2289
Bafna, S. S., p. 683
Baird, D. G., p. 683
Ballarini, R., p. 1945
Banerjee, A., p. 869
Bayramli, E., p. 1427
Bazhenov, S. L., p. 1402
Beaussart, A. J., p. 1088
Beck, J. V., pp. 20, 132
Bhagat, R. B., p. 1578
Bhatt, H., p. 2278
Black, J., p. 256
Blackketter, D. M., p. 558
Bogdanovich, A. E., p. 520
Bogetti, T. A., p. 626
Bowles, K. J., p. 1487
Bradley, W. L., pp. 1594, 1617
Brosey, W. D., p. 2307
Cai, Z., pp. 1310, 2606
Cai, Z., pp. 1207, 1374
Cairns, D. S., p. 334
Campbell, J. F., p. 334
Cano, R. J., p. 869
Carlsson, L. A., p. 432
Carman, G., p. 1678
Chang, F.-K., pp. 350, 804, 2134
Chatterjee, S. N., p. 1885
Chaudhuri, R. A., p. 51
Chen, F., p. 2289
Choi, H. Y., pp. 804, 2134
Chou, C. T., p. 171
Chou, T.-W., p. 1269
Ciriscioli, P. R., p. 90
Cloud, G. L., p. 751
Cohen, D., p. 1984
Collins, J. S., p. 792
Crasto, A. S., p. 1915
Daniel, I. M., p. 883
Dasgupta, A., p. 2736
Datta, S. K., p. 661
Davies, C. K. L., p. 574
Day, D. E., p. 1181
Denault, J., p. 2262
Dilintas, G., p. 1443
Dillon, G., p. 2330
Donaldson, K. Y., p. 2278
Dorighi, Y., p. 2016
Doucet, A. B., p. 2045
Drzal, L. T., pp. 310, 936
Edie, D. D., p. 869
Ernst, H. A., p. 2028
Farley, G. L., pp. 37, 78, 388, 708, 1741, 1784
Finn, S. R., p. 1796
Fleck, N. A., p. 2706
Fleming, D. C., p. 486
Fogarty, J. H., p. 991
Frassine, R., p. 1339
Friesenhahn, G. J., p. 1860
Frimpong, S., p. 1487
Frost, S. R., p. 1151
Fujii, T., p. 2493
Fuller, C. R., p. 103
Galiotis, C., p. 574
Gao, Z., p. 1678
Gebart, B. R., p. 1100
Gibson, R. F., p. 2585
Gillespie, J. W., Jr., p. 626
Gorman, M. R., p. 2016
Gotro, J. T., p. 883
Green, D. J., p. 1664
Groves, S., p. 1134
Gudmundson, P., pp. 1009, 2480
Guo, Y., p. 1930
Gutowski, T. G., pp. 1207, 1374, 2330
Guynn, E. G., pp. 1594, 1617

(continued)

Author Index *(continued)*
Hahn, H. T., p. 2402, 2423
Hamstad, M. A., p. 2307
Han, B., p. 1930
Han, K. S., p. 1062
Harder, J. F., p. 612
Hasselman, D. P. H., p. 2278
Hatta, H., pp. 612, 1254
He, Y.-F., p. 1796
Herakovich, C. T., p. 2
Herrera-Franco, P. J., p. 751
Herrington, P. D., pp. 1826, 2045
Hidde, J. S., p. 2
Hiltner, A., p. 2289
Hinton, M. J., p. 2454
Ho, H., p. 708
Hoa, S. V., p. 1031
Holmes, J. W., p. 916
House, M. B., p. 1578
Hsu, D. K., p. 1050
Hull, D., p. 2172
Hwang, S. J., p. 2585
Iarve, E. V., p. 520
Jackson, K. E., p. 2674
Jansson, S., p. 1474
Jao, S.-H., p. 2632
Jayaraman, K., p. 770
Jelf, P. M., p. 2706
Johnson, E. R., p. 792
Jones, R. M., pp. 37, 78, 388, 1741
Joo, J. W., p. 1510
Jun, E.-J., p. 2247
Kabir, H. R. H., p. 51
Kalra, L., p. 2567
Kamigaito, O., p. 1240
Kander, R. G., p. 1455
Karasek, M. L., pp. 1725, 2118
Kellas, S., p. 2674
Kennedy, J. M., p. 869
Kim, C.-G., p. 2247
Kim, R. Y., p. 1915
Kim, Y. H., p. 1062
King, T. R., p. 558
Kohl, T., p. 661
Krempl, E., pp. 900, 969
Kulacki, F. A., p. 612
Kurauchi, T., p. 1240
Kutlu, Z., p. 350
Latour, R. A., Jr., p. 256
Leckie, F. A., p. 1474
Lee, C. S., p. 1062
Lee, C. W., p. 274
Lee, H.-J., p. 1796
Lee, L. J., pp. 274, 2567
Lewandowski, J. J., pp. 1945, 2076
Lim, T., p. 1062
Lin, F., p. 2493
Llanos, A. S., p. 1968
Luo, H., p. 1945
Lur'e, S. A., p. 546
Lyon, R., p. 1134
Madhukar, M. S., pp. 310, 936
Magness, F., p. 1134
Månson, J.-A. E., p. 405
Mantell, S. C., pp. 2348, 2378
Margetan, F. J., p. 1050
Martinez, L. A., p. 334
McGarry, F. J., p. 2632
McManus, H. L. N., pp. 206, 230
Meinert, K. C., p. 1578
Melanitis, N., p. 574
Melis, M. E., p. 1287
Miller, B., p. 256
Mirzadeh, F., p. 185
Morton, J., pp. 708, 2674
Naik, N. K., pp. 2196, 2226, 2522
Nemes, J. A., p. 500
Newnham, R. E., p. 2727
Nisson, P., p. 1578
Ochoa, O. O., pp. 1594, 1617
O'Donoghue, P. E., p. 1860
Okine, R. K., p. 1088
Olson, J. R., p. 1181
Östlund, S., p. 1009, 2480
Ozdil, F., p. 432
Pae, K. D., pp. 462, 828
Parr, C. H., p. 1860
Penn, L. S., p. 171
Pepi, M. S., p. 2060
Perry, M. J., pp. 274, 2567
Pidaparti, R. M. W., p. 152
Pipes, R. B., pp. 1088, 1351, 1536
Post, D., p. 1930
Powell, R. L., p. 1427
Prosser, W. H., p. 2016
Puchkov, L. V., p. 1402
Rao, V. S., p. 1752
Rattanawangcharoen, N., p. 661
Reifsnider, K. L., pp. 185, 770, 1678
Rhee, K. Y., p. 2028

Robinson, P., p. 1554
Rochette, A., p. 121
Rogers, C. A., p. 103
Rozak, G. A., p. 2076
Ruschau, G. R., p. 2727
Sabbaghian, M., p. 1826
Sagami, T., p. 2493
Sanchez, R., p. 1134
Sankar, B. V., p. 1752
Sato, N., p. 1240
Scott, E. P., pp. 20, 132
Seferis, J. C., p. 405
Seymour, R. J., p. 2655
Shah, A. H., p. 661
Shembekar, P. S., pp. 2196, 2226, 2522
Shi, Y. B., p. 2172
Shin, E. S., pp. 462, 828
Siegmann, A., p. 1455
Simmonds, K. E., p. 500
Slagter, W. J., p. 2542
Sloan, F. E., p. 2655
Soedel, W., p. 152
Song, D. Q., p. 1554
Springer, G. S., pp. 90, 206, 230, 1796, 2348, 2378
Stoffer, J. O., p. 1181
Strait, L. H., p. 1725, 2118
Street, K. N., p. 1031
Sugano, T., p. 1254
Sun, C. T., pp. 293, 1510, 1752
Swanson, S. R., p. 1193
Takei, T., p. 1254
Talreja, R., p. 1644
Taya, M., p. 612
Teply, J. L., p. 1708
Tetlow, P. L., p. 574
Thomas, J. R., Jr., p. 2278
Tian, Z., p. 1193
Toll, S., p. 1767
Tsai, M. Y., p. 708
Tsangarakis, N., p. 2060
Tutuncu, N., p. 2511
Tzeng, J. T., p. 1088
Valisetty, R. R., 1708
Vanderheiden, E. G., p. 334
Van Voorhees, E. J., p. 1664
Vasil'ev, V. V., p. 546
Vizzini, A. J., pp. 486, 1968
Vu-Khanh, T., p. 2262
Wallace, J. F., p. 2076
Walrath, D. E., p. 558
Wang, H. S., p. 804
Wang, Q., pp. 90, 2378
Wang, T.-M., p. 883
Wang, Y. R., p. 1269
Wetters, D. G., p. 1644
Whitcomb, J. D., pp. 1523, 1844
White, S. R., p. 2402, 2423
Whittaker, J. W., p. 2307
Winckler, S. J., p. 2511
Wisnom, M. R., p. 1173
Wu, K. M., p. 2107
Wung, E. C. J., p. 1885
Xiao, X. R., p. 1031
Yalvac, S., p. 1644
Yamashita, S., p. 1254
Yang, H. T. Y., p. 152
Yats, L. D., p. 1644
Yeh, N.-M., pp. 900, 969
Yoon, K. J., p. 293